


CNC Router Bits Products Catalogue

SDK

www.sdk-tool.com



Fine craft, perfect quality
Complete customer satisfaction

SDK Tool (China) Co., Limited

Company 公司简介 Introduction

SDK Tool (China) Co., Limited is a professional enterprise which specializes in design, manufacture and sale of solid carbide cutting tools. Such as, solid carbide drill bits, end mills and reamers. What's more, customized cutting tools can be designed for the clients.

Our high quality tools are produced by advanced CNC grinding machines from Germany, USA and Switze. All the tools are widely applied in the area of machinery processing, like automobile, mould, plastic and so on.


"Advanced tools, process advanced products". With our high performance tools, you will process high performance products.



SDK1A-S1W

A级单刃木工刀

Carbide One Flute Spiral Bits For Wood (A series)



适用于：实木，密度板，多层板等。

参数：转速24000转/分钟，柄径3.175mm以下小径的多层板专用刀进给速度3-5米/分钟，密度板专用刀可达6-8米/分钟；柄径4MM和6MM的密度板进给速度可达10米/分钟。

Applicable: Solid wood, MDF, Multilayer board and so on

Parameters: spindle speed 20000-24000 rpm, the feed rate of up to 6-8 M / min


型号 Item No.	刃径 d	刃长 l	柄径 D	全长 L
SDK1A-S1W-01507	1.5	7	3.175	38.5
SDK1A-S1W-01512	1.5	12	3.175	38.5
SDK1A-S1W-02008	2	8	3.175	38.5
SDK1A-S1W-02010	2	10	3.175	38.5
SDK1A-S1W-02012	2	12	3.175	38.5
SDK1A-S1W-02015	2	15	3.175	38.5
SDK1A-S1W-02017	2	17	3.175	38.5
SDK1A-S1W-02512	2.5	12	3.175	38.5
SDK1A-S1W-02515	2.5	15	3.175	38.5
SDK1A-S1W-02517	2.5	17	3.175	38.5
SDK1A-S1W-03112	3.175	12	3.175	38.5
SDK1A-S1W-03115	3.175	15	3.175	38.5
SDK1A-S1W-03117	3.175	17	3.175	38.5
SDK1A-S1W-03122	3.175	22	3.175	45
SDK1A-S1W-03125	3.175	25	3.175	50
SDK1A-S1W-03128	3.175	28	3.175	50
SDK1A-S1W-03132	3.175	32	3.175	55
SDK1A-S1W-04012	4	12	4	45
SDK1A-S1W-04015	4	15	4	45
SDK1A-S1W-04017	4	17	4	45

型号 Item No.	刃径 d	刃长 l	柄径 D	全长 L
SDK1A-S1W-04022	4	22	4	45
SDK1A-S1W-04025	4	25	4	50
SDK1A-S1W-04028	4	28	4	50
SDK1A-S1W-04032	4	32	4	55
SDK1A-S1W-04042	4	42	4	65
SDK1A-S1W-06017	6	17	6	50
SDK1A-S1W-06022	6	22	6	50
SDK1A-S1W-06025	6	25	6	50
SDK1A-S1W-06028	6	28	6	60
SDK1A-S1W-06032	6	32	6	60
SDK1A-S1W-06035	6	35	6	65
SDK1A-S1W-06038	6	38	6	70
SDK1A-S1W-06042	6	42	6	70
SDK1A-S1W-06052	6	52	6	80
SDK1A-S1W-08022	8	22	8	60
SDK1A-S1W-08025	8	25	8	60
SDK1A-S1W-08032	8	32	8	60
SDK1A-S1W-08042	8	42	8	75
SDK1A-S1W-08052	8	52	8	90
SDK1A-S1W-08062	8	62	8	100

SDK2A-S1W

2A级单刃木工刀

Carbide One Flute Spiral Bits For Wood (2A series)



适用于：实木，密度板，多层板等。

参数：转速24000转/分钟，柄径3.175mm以下小径的多层板专用刀进给速度3-5米/分钟，密度板专用刀可达6-8米/分钟；柄径4mm和6mm的密度板进给速度可达10米/分钟。

Applicable: Solid wood, MDF, Multilayer board and so on

Parameters: spindle speed 20000-24000 rpm, the feed rate of up to 6-8 M / min


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1W-01507	1.5	7	3.175	38.5
SDK2A-S1W-01512	1.5	12	3.175	38.5
SDK2A-S1W-02008	2	8	3.175	38.5
SDK2A-S1W-02010	2	10	3.175	38.5
SDK2A-S1W-02012	2	12	3.175	38.5
SDK2A-S1W-02015	2	15	3.175	38.5
SDK2A-S1W-02017	2	17	3.175	38.5
SDK2A-S1W-02512	2.5	12	3.175	38.5
SDK2A-S1W-02515	2.5	15	3.175	38.5
SDK2A-S1W-02517	2.5	17	3.175	38.5
SDK2A-S1W-03112	3.175	12	3.175	38.5
SDK2A-S1W-03115	3.175	15	3.175	38.5
SDK2A-S1W-03117	3.175	17	3.175	38.5
SDK2A-S1W-03122	3.175	22	3.175	45
SDK2A-S1W-03125	3.175	25	3.175	50
SDK2A-S1W-03128	3.175	28	3.175	50
SDK2A-S1W-03132	3.175	32	3.175	55
SDK2A-S1W-04012	4	12	4	45
SDK2A-S1W-04015	4	15	4	45
SDK2A-S1W-04017	4	17	4	45

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1W-04022	4	22	4	45
SDK2A-S1W-04025	4	25	4	50
SDK2A-S1W-04028	4	28	4	50
SDK2A-S1W-04032	4	32	4	55
SDK2A-S1W-04042	4	42	4	70
SDK2A-S1W-06017	6	17	6	50
SDK2A-S1W-06022	6	22	6	50
SDK2A-S1W-06025	6	25	6	50
SDK2A-S1W-06028	6	28	6	60
SDK2A-S1W-06032	6	32	6	60
SDK2A-S1W-06035	6	35	6	65
SDK2A-S1W-06038	6	38	6	70
SDK2A-S1W-06042	6	42	6	70
SDK2A-S1W-06052	6	52	6	80
SDK2A-S1W-08022	8	22	8	60
SDK2A-S1W-08025	8	25	8	60
SDK2A-S1W-08032	8	32	8	60
SDK2A-S1W-08042	8	42	8	75
SDK2A-S1W-08052	8	52	8	90
SDK2A-S1W-08062	8	62	8	100

SDK2A-S1A

2A级单刃亚克力刀

Carbide One Flute Spiral Bits For Acrylic (2A series)



适用于：切割亚克力、PVC、塑料等，表面光洁度高；也可以用于切割实木、密度板、多层板，进给速度适当降低。
参数：主轴转速20000-24000转/分钟，进给速度按不同规格设定1-10米/分钟。

Applicable: Cutting Acrylic, PVC, Plastic, High surface finish, Can be use to cut Wood, Multilayer plywood and MDF

Parameters: spindle speed 20000-24000 rpm, feed speed 1-10m / min according to different specifications


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1A-01003	1	3	3.175	38.5
SDK2A-S1A-01004	1	4	3.175	38.5
SDK2A-S1A-01504	1.5	4	3.175	38.5
SDK2A-S1A-01507	1.5	7	3.175	38.5
SDK2A-S1A-01512	1.5	12	3.175	38.5
SDK2A-S1A-02004	2	4	3.175	38.5
SDK2A-S1A-02006	2	6	3.175	38.5
SDK2A-S1A-02008	2	8	3.175	38.5
SDK2A-S1A-02010	2	10	3.175	38.5
SDK2A-S1A-02012	2	12	3.175	38.5
SDK2A-S1A-02015	2	15	3.175	38.5
SDK2A-S1A-02017	2	17	3.175	38.5
SDK2A-S1A-02022	2	22	3.175	45
SDK2A-S1A-02504	2.5	4	3.175	38.5
SDK2A-S1A-02506	2.5	6	3.175	38.5
SDK2A-S1A-02508	2.5	8	3.175	38.5
SDK2A-S1A-02510	2.5	10	3.175	38.5
SDK2A-S1A-02512	2.5	12	3.175	38.5
SDK2A-S1A-02515	2.5	15	3.175	38.5
SDK2A-S1A-02517	2.5	17	3.175	38.5
SDK2A-S1A-02522	2.5	22	3.175	45
SDK2A-S1A-03106	3.175	6	3.175	38.5
SDK2A-S1A-03108	3.175	8	3.175	38.5
SDK2A-S1A-03110	3.175	10	3.175	38.5
SDK2A-S1A-03112	3.175	12	3.175	38.5
SDK2A-S1A-03115	3.175	15	3.175	38.5
SDK2A-S1A-03117	3.175	17	3.175	38.5
SDK2A-S1A-03120	3.175	20	3.175	45
SDK2A-S1A-03122	3.175	22	3.175	45
SDK2A-S1A-03125	3.175	25	3.175	50
SDK2A-S1A-03128	3.175	28	3.175	50
SDK2A-S1A-03132	3.175	32	3.175	55
SDK2A-S1A-03142	3.175	42	3.175	70
SDK2A-S1A-03152	3.175	52	3.175	80

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1A-04008	4	8	4	45
SDK2A-S1A-04012	4	12	4	45
SDK2A-S1A-04015	4	15	4	45
SDK2A-S1A-04017	4	17	4	45
SDK2A-S1A-04022	4	22	4	45
SDK2A-S1A-04025	4	25	4	50
SDK2A-S1A-04028	4	28	4	50
SDK2A-S1A-04032	4	32	4	55
SDK2A-S1A-04042	4	42	4	70
SDK2A-S1A-04052	4	52	4	80
SDK2A-S1A-05012	5	12	5	50
SDK2A-S1A-05017	5	17	5	50
SDK2A-S1A-05022	5	22	5	50
SDK2A-S1A-05025	5	25	5	50
SDK2A-S1A-05028	5	28	5	55
SDK2A-S1A-05032	5	32	5	55
SDK2A-S1A-06012	6	12	6	50
SDK2A-S1A-06015	6	15	6	50
SDK2A-S1A-06017	6	17	6	50
SDK2A-S1A-06022	6	22	6	50
SDK2A-S1A-06025	6	25	6	50
SDK2A-S1A-06028	6	28	6	60
SDK2A-S1A-06032	6	32	6	60
SDK2A-S1A-06042	6	42	6	70/75
SDK2A-S1A-06052	6	52	6	80/85
SDK2A-S1A-08022	8	22	8	60
SDK2A-S1A-08025	8	25	8	60
SDK2A-S1A-08032	8	32	8	60/65
SDK2A-S1A-08042	8	42	8	75
SDK2A-S1A-08052	8	52	8	90
SDK2A-S1A-10032	10	32	10	75
SDK2A-S1A-10042	10	42	10	85
SDK2A-S1A-10052	10	52	10	100

SDK2A-S1AL

2A级单刃铝用刀

Carbide One Flute Spiral Bits For Aluminium (2A series)



适用于: 铝合金, 铜合金, 镁合金, 适合小功率主轴, 高转速 (16000以上) 切割加工。

特点: 此系列切削刃径抛光处理的刀具是专门为铝材, 铜等高速切削, 可达到优良的光洁度。

Applicable: Aluminium Alloy, Copper Alloy, Magnesium Alloy. Low power spindle, high speed rotation above 16000 per minute processing.

Features: The cutter is specifically designed for high-speed cutting of aluminium, copper and gold, etc, with excellent finish.


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1AL-01003	1	3	3.175	38
SDK2A-S1AL-01505	1.5	5	3.175	38
SDK2A-S1AL-02004	2	4	3.175	38
SDK2A-S1AL-02006	2	6	3.175	38
SDK2A-S1AL-02008	2	8	3.175	38
SDK2A-S1AL-02504	2.5	4	3.175	38
SDK2A-S1AL-02506	2.5	6	3.175	38
SDK2A-S1AL-02508	2.5	8	3.175	38
SDK2A-S1AL-03106	3.175	6	3.175	38
SDK2A-S1AL-03107	3.175	7	3.175	38
SDK2A-S1AL-03112	3.175	12	3.175	38
SDK2A-S1AL-03117	3.175	17	3.175	38
SDK2A-S1AL-04008	4	8	4	45
SDK2A-S1AL-04010	4	10	4	45
SDK2A-S1AL-04012	4	12	4	45
SDK2A-S1AL-04015	4	15	4	45

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1AL-04017	4	17	4	45
SDK2A-S1AL-04022	4	22	4	45
SDK2A-S1AL-05012	5	12	5	50
SDK2A-S1AL-05017	5	17	5	50
SDK2A-S1AL-05022	5	22	5	50
SDK2A-S1AL-06012	6	12	6	50
SDK2A-S1AL-06017	6	17	6	50
SDK2A-S1AL-06022	6	22	6	50
SDK2A-S1AL-08022	8	22	8	60
SDK2A-S1AL-08025	8	25	8	60
SDK2A-S1AL-10025	10	25	10	60
SDK2A-S1AL-10032	10	32	10	75
SDK2A-S1AL-10042	10	42	10	85
SDK2A-S1AL-12035	12	35	12	75
SDK2A-S1AL-12042	12	42	12	90

SDK2A-S1AL

2A级单刃DLC涂层铝用刀

Carbide One Flute DLC Coated Spiral Bits For Aluminium (2A Series)



适用于: 铝合金, 铜合金, 镁合金, 适合小功率主轴, 高转速 (16000以上) 切割加工。

特点: 此系列切削刃经抛光处理的刀具是专门为铝材, 铜等高速切削, 可达到优良的光洁度。

Applicable: Aluminium Alloy, Copper Alloy, Magnesium Alloy. Low power spindle, high speed rotation above 16000 per minute processing.

Features: The cutter is specifically designed for high-speed cutting of aluminium, copper and gold, etc, with excellent finish.


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1AL-01003-C	1	3	3.175	38
SDK2A-S1AL-01505-C	1.5	5	3.175	38
SDK2A-S1AL-02004-C	2	4	3.175	38
SDK2A-S1AL-02006-C	2	6	3.175	38
SDK2A-S1AL-02008-C	2	8	3.175	38
SDK2A-S1AL-02012-C	2	12	3.175	38
SDK2A-S1AL-02504-C	2.5	4	3.175	38
SDK2A-S1AL-02506-C	2.5	6	3.175	38
SDK2A-S1AL-02508-C	2.5	8	3.175	38
SDK2A-S1AL-03106-C	3.175	6	3.175	38
SDK2A-S1AL-03107-C	3.175	7	3.175	38
SDK2A-S1AL-03112-C	3.175	12	3.175	38
SDK2A-S1AL-03117-C	3.175	17	3.175	38
SDK2A-S1AL-04008-C	4	8	4	45
SDK2A-S1AL-04010-C	4	10	4	45
SDK2A-S1AL-04012-C	4	12	4	45
SDK2A-S1AL-04015-C	4	15	4	45

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1AL-04017-C	4	17	4	45
SDK2A-S1AL-04022-C	4	22	4	45
SDK2A-S1AL-05012-C	5	12	5	50
SDK2A-S1AL-05015-C	5	15	5	50
SDK2A-S1AL-05017-C	5	17	5	50
SDK2A-S1AL-05022-C	5	22	5	50
SDK2A-S1AL-06012-C	6	12	6	50
SDK2A-S1AL-06017-C	6	17	6	50
SDK2A-S1AL-06022-C	6	22	6	50
SDK2A-S1AL-08017-C	8	17	8	60
SDK2A-S1AL-08022-C	8	22	8	60
SDK2A-S1AL-08025-C	8	25	8	60
SDK2A-S1AL-10025-C	10	25	10	60
SDK2A-S1AL-10032-C	10	32	10	75
SDK2A-S1AL-10042-C	10	42	10	85
SDK2A-S1AL-12035-C	12	35	12	75
SDK2A-S1AL-12042-C	12	42	12	90

SDK2A-S1DC

2A级单刃左旋木工刀

Carbide One Flute Down Cut Spiral Bits (2A series)



适用于: 夹板、密度板、PVC、铝塑板等。

特点: 下切刀具旨在提高产品加工的效率, 独特的刃口镜磨工艺, 以及高容量的排屑槽, 使刀具的高速切割中有不粘屑低发热, 光洁度高等特点。它广泛应用于工艺品电子, 广告, 装饰, 木业加工等行业, 特别适合工厂批量加工以及高要求产品。

Applicable: Plywood, MDF, PVC, Aluminlum-plastic board.


Feature: special grinding and high-capacity flutes, have made it no crumbss attached, low heat and high-quality finish under high-speed cutting. It's been widely applies to the industries such as crafts electronics, advertising, decoration and wood processing, specially suitable for batch processing with high requirement.

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1DC-01003	1	3	3.175	38.5
SDK2A-S1DC-01504	1.5	4	3.175	38.5
SDK2A-S1DC-01507	1.5	7	3.175	38.5
SDK2A-S1DC-01512	1.5	12	3.175	38.5
SDK2A-S1DC-02004	2	4	3.175	38.5
SDK2A-S1DC-02006	2	6	3.175	38.5
SDK2A-S1DC-02008	2	8	3.175	38.5
SDK2A-S1DC-02012	2	12	3.175	38.5
SDK2A-S1DC-02015	2	15	3.175	38.5
SDK2A-S1DC-02017	2	17	3.175	38.5
SDK2A-S1DC-02506	2.5	6	3.175	38.5
SDK2A-S1DC-02508	2.5	8	3.175	38.5
SDK2A-S1DC-02512	2.5	12	3.175	38.5
SDK2A-S1DC-02517	2.5	17	3.175	38.5
SDK2A-S1DC-03108	3.175	8	3.175	38.5
SDK2A-S1DC-03112	3.175	12	3.175	38.5
SDK2A-S1DC-03115	3.175	15	3.175	38.5
SDK2A-S1DC-03117	3.175	17	3.175	38.5
SDK2A-S1DC-03122	3.175	22	3.175	45
SDK2A-S1DC-03125	3.175	25	3.175	50
SDK2A-S1DC-03128	3.175	28	3.175	50

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1DC-03132	3.175	32	3.175	55
SDK2A-S1DC-04012	4	12	4	45
SDK2A-S1DC-04017	4	17	4	45
SDK2A-S1DC-04022	4	22	4	45
SDK2A-S1DC-04025	4	25	4	50
SDK2A-S1DC-04028	4	28	4	50
SDK2A-S1DC-04032	4	32	4	55
SDK2A-S1DC-05012	5	12	5	50
SDK2A-S1DC-05017	5	17	5	50
SDK2A-S1DC-05022	5	22	5	50
SDK2A-S1DC-05025	5	25	5	50
SDK2A-S1DC-05028	5	28	5	55
SDK2A-S1DC-05032	5	32	5	60
SDK2A-S1DC-06017	6	17	6	50
SDK2A-S1DC-06022	6	22	6	50
SDK2A-S1DC-06025	6	25	6	50
SDK2A-S1DC-06032	6	32	6	60
SDK2A-S1DC-08025	8	25	8	60
SDK2A-S1DC-08032	8	32	8	65
SDK2A-S1DC-08042	8	42	8	75

SDK2A-S1CO

2A级单刃复合刃木工刀

Carbide Compression (Up&down Cut) One Flute Spiral Bits
(2A series)

适合于: 贴皮板、软木、多层板、PVC、芙蓉板等。


Applicable: Board with lagging, Soft wood, Multilayer board, PVC and Lotus board

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1CO-03112	3.175	12	3.175	38
SDK2A-S1CO-03115	3.175	15	3.175	38
SDK2A-S1CO-03117	3.175	17	3.175	38
SDK2A-S1CO-03122	3.175	22	3.175	45
SDK2A-S1CO-04015	4	15	4	45
SDK2A-S1CO-04018	4	17	4	45
SDK2A-S1CO-04022	4	22	4	45
SDK2A-S1CO-04024	4	25	4	50
SDK2A-S1CO-04028	4	28	4	50
SDK2A-S1CO-04032	4	32	4	55
SDK2A-S1CO-05017	5	17	5	50
SDK2A-S1CO-05022	5	22	5	50
SDK2A-S1CO-05025	5	25	5	50
SDK2A-S1CO-05028	5	28	5	55
SDK2A-S1CO-05033	5	32	5	55
SDK2A-S1CO-06018	6	17	6	50
SDK2A-S1CO-06022	6	22	6	50
SDK2A-S1CO-06025	6	25	6	50
SDK2A-S1CO-06028	6	28	6	60

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S1CO-06032	6	32	6	60
SDK2A-S1CO-06035	6	35	6	65
SDK2A-S1CO-06038	6	38	6	70
SDK2A-S1CO-08020	8	20	8	60
SDK2A-S1CO-08022	8	22	8	60
SDK2A-S1CO-08026	8	26	8	60
SDK2A-S1CO-08028	8	28	8	60
SDK2A-S1CO-08032	8	32	8	65
SDK2A-S1CO-08035	8	35	8	75
SDK2A-S1CO-08038	8	38	8	75
SDK2A-S1CO-08040	8	40	8	75
SDK2A-S1CO-08045	8	45	8	80
SDK2A-S1CO-08052	8	52	8	90
SDK2A-S1CO-10035	10	35	10	75
SDK2A-S1CO-10038	10	38	10	75
SDK2A-S1CO-10040	10	40	10	75
SDK2A-S1CO-10045	10	45	10	85
SDK2A-S1CO-10052	10	52	10	100

SDK3A-S1CO

3A级单刃复合刃木工刀

Carbide Compression (Up&down Cut) One Flute Spiral Bits
(3A series)

适合于: 贴皮板、软木、多层板、PVC、芙蓉板等。

Applicable: Board with lagging, Soft wood, Multilayer board, PVC and Lotus board


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK3A-S1CO-03112	3.175	12	3.175	38
SDK3A-S1CO-03115	3.175	15	3.175	38
SDK3A-S1CO-03117	3.175	17	3.175	38
SDK3A-S1CO-03122	3.175	22	3.175	45
SDK3A-S1CO-04015	4	15	4	45
SDK3A-S1CO-04018	4	17	4	45
SDK3A-S1CO-04022	4	22	4	45
SDK3A-S1CO-04024	4	25	4	50
SDK3A-S1CO-04028	4	28	4	50
SDK3A-S1CO-04032	4	32	4	55
SDK3A-S1CO-05017	5	17	5	50
SDK3A-S1CO-05022	5	22	5	50
SDK3A-S1CO-05025	5	25	5	50
SDK3A-S1CO-05026	5	26	5	50
SDK3A-S1CO-05028	5	28	5	60
SDK3A-S1CO-05033	5	32	5	60
SDK3A-S1CO-06018	6	17	6	50
SDK3A-S1CO-06022	6	22	6	50

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK3A-S1CO-06025	6	25	6	50
SDK3A-S1CO-06028	6	28	6	60
SDK3A-S1CO-06032	6	32	6	60
SDK3A-S1CO-06035	6	35	6	65
SDK3A-S1CO-06038	6	38	6	70
SDK3A-S1CO-08026	8	25	8	60
SDK3A-S1CO-08028	8	28	8	60
SDK3A-S1CO-08032	8	32	8	65
SDK3A-S1CO-08035	8	35	8	75
SDK3A-S1CO-08038	8	38	8	75
SDK3A-S1CO-08040	8	42	8	75
SDK3A-S1CO-08045	8	45	8	80
SDK3A-S1CO-08052	8	52	8	90
SDK3A-S1CO-10035	10	35	10	75
SDK3A-S1CO-10040	10	42	10	75
SDK3A-S1CO-10045	10	45	10	85
SDK3A-S1CO-10052	10	52	10	100

SDKM42-ADW

M42仿形单刃刀

HSS-M42 One Flute Router Bits for Aluminium Doors And Windows



适用于：铝合金门窗、幕墙、塑钢型材、铝板等。

参数：主轴转速8000转/分钟。

Applicable: aluminium alloy doors and windows, curtain walls, plastic steel profiles, aluminium plate, etc.

Parameters: spindle speed: 8000 rpm


型号 Item No.	刃径 d	刃长 l	柄径 D	全长 L
SDKM42-ADW-03012	3	12	8	60
SDKM42-ADW-04014	4	14	8	60
SDKM42-ADW-05014	5	14	8	60
SDKM42-ADW-06014	6	14	8	60
SDKM42-ADW-07014	7	14	8	60
SDKM42-ADW-04014L	4	14(35)	8	80
SDKM42-ADW-05014L	5	14(35)	8	80
SDKM42-ADW-06014L	6	14(35)	8	80
SDKM42-ADW-07014L	7	14(35)	8	80
SDKM42-ADW-08014	8	14	8	80
SDKM42-ADW-08020	8	20	8	80
SDKM42-ADW-05016	5	16(45)	8	100(90)

型号 Item No.	刃径 d	刃长 l	柄径 D	全长 L
SDKM42-ADW-06016	6	16(45)	8	100(90)
SDKM42-ADW-08016	8	16	8	100
SDKM42-ADW-08030	8	30	8	100
SDKM42-ADW-08030L	8	30(70)	8	100
SDKM42-ADW-08030XL	8	30	8	120
SDKM42-ADW-08014L	8	14	10	80
SDKM42-ADW-10014	10	14	10	80
SDKM42-ADW-10030	10	30	10	100
SDKM42-ADW-10030L	10	30	10	120
SDKM42-ADW-12016	12	16	12	80
SDKM42-ADW-12030	12	30	12	100
SDKM42-ADW-12030L	12	30	12	120

SDK2A-ADW

钨钢仿形单刃刀

Carbide One Flute Router Bits for Aluminium Doors And Windows



适用于：铝合金门窗、幕墙、塑钢型材、铝板等。

参数：主轴转速15000转/分钟。

Applicable: aluminium alloy doors and windows, curtain walls, plastic steel profiles, aluminium plate, etc.

Parameters: spindle speed: 15000 rpm


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-ADW-03012	3	12	8	60
SDK2A-ADW-04014	4	14	8	60
SDK2A-ADW-05014	5	14	8	60
SDK2A-ADW-06014	6	14	8	60
SDK2A-ADW-07014	7	14	8	60
SDK2A-ADW-04014L	4	14(35)	8	80
SDK2A-ADW-05014L	5	14(35)	8	80
SDK2A-ADW-06014L	6	14(35)	8	80
SDK2A-ADW-07014L	7	14(35)	8	80
SDK2A-ADW-08014	8	14	8	80
SDK2A-ADW-08020	8	20	8	80
SDK2A-ADW-05016	5	16(45)	8	100(90)

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-ADW-06016	6	16(45)	8	100(90)
SDK2A-ADW-08016	8	16	8	100
SDK2A-ADW-08030	8	30	8	100
SDK2A-ADW-08030L	8	30(60)	8	100
SDK2A-ADW-08030XL	8	30	8	120
SDK2A-ADW-08014L	8	14	10	80
SDK2A-ADW-10014	10	14	10	80
SDK2A-ADW-10030	10	30	10	100
SDK2A-ADW-10030L	10	30	10	120
SDK2A-ADW-12016	12	16	12	80
SDK2A-ADW-12030	12	30	12	100
SDK2A-ADW-12030L	12	30	12	120

SDK2A-ADW

钨钢DLC涂层仿形单刃刀

Carbide One Flute Router Bits for Aluminium Doors And Windows with DLC Coating



适用于：铝合金门窗、幕墙、塑钢型材、铝板等。

参数：主轴转速15000转/分钟。

Applicable: aluminium alloy doors and windows, curtain walls, plastic steel profiles, aluminium plate, etc.

Parameters: spindle speed: 15000 rpm


型号 Item No.	刃径 d	刃长(H) l	柄径 D	全长 L
SDK2A-ADW-03012-C	3	12	8	60
SDK2A-ADW-04014-C	4	14	8	60
SDK2A-ADW-05014-C	5	14	8	60
SDK2A-ADW-06014-C	6	14	8	60
SDK2A-ADW-07014-C	7	14	8	60
SDK2A-ADW-04014L-C	4	14(35)	8	80
SDK2A-ADW-05014L-C	5	14(35)	8	80
SDK2A-ADW-06014L-C	6	14(35)	8	80
SDK2A-ADW-07014L-C	7	14(35)	8	80
SDK2A-ADW-08014-C	8	14	8	80
SDK2A-ADW-08020-C	8	20	8	80
SDK2A-ADW-05016-C	5	16(45)	8	100(90)

型号 Item No.	刃径 d	刃长(H) l	柄径 D	全长 L
SDK2A-ADW-06016-C	6	16(45)	8	100(90)
SDK2A-ADW-08016-C	8	16	8	100
SDK2A-ADW-08030-C	8	30	8	100
SDK2A-ADW-08030L-C	8	30(60)	8	100
SDK2A-ADW-08030XL-C	8	30	8	120
SDK2A-ADW-08014L-C	8	14	10	80
SDK2A-ADW-10014-C	10	14	10	80
SDK2A-ADW-10030-C	10	30	10	100
SDK2A-ADW-10030L-C	10	30	10	120
SDK2A-ADW-12016-C	12	16	12	80
SDK2A-ADW-12030-C	12	30	12	100
SDK2A-ADW-12030L-C	12	30	12	120

SDK3A-CT

3A级玉米铣刀

Carbide Corn Teeth End Mills For PCB (3A series)



适用于：电路板、电木、高密度板、超硬木、碳纤维、玻璃纤维、高密度合成板。

Applicable: Circuit board, Phenol Formaldehyde (PF), High density fiber board (HDF), Hard wood, Carbon fiber, Fiber glass, HDF composite board.


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK3A-CT-00403	0.4	3	3.175	38.5
SDK3A-CT-00503	0.5	3	3.175	38.5
SDK3A-CT-00604	0.6	4	3.175	38.5
SDK3A-CT-00704	0.7	4	3.175	38.5
SDK3A-CT-00805	0.8	5	3.175	38.5
SDK3A-CT-00906	0.9	6	3.175	38.5
SDK3A-CT-01007	1	7	3.175	38.5
SDK3A-CT-01207	1.2	7	3.175	38.5
SDK3A-CT-01408	1.4	8	3.175	38.5
SDK3A-CT-01508	1.5	8	3.175	38.5
SDK3A-CT-01809	1.8	9	3.175	38.5
SDK3A-CT-02010	2	10	3.175	38.5
SDK3A-CT-02512	2.5	12	3.175	38.5
SDK3A-CT-03012	3	12	3.175	38.5
SDK3A-CT-03112	3.175	12	3.175	38.5
SDK3A-CT-03115	3.175	15	3.175	38.5
SDK3A-CT-03117	3.175	17	3.175	38.5
SDK3A-CT-03122	3.175	22	3.175	45
SDK3A-CT-03125	3.175	25	3.175	50
SDK3A-CT-04012	4	12	4	45
SDK3A-CT-04015	4	15	4	45
SDK3A-CT-04017	4	17	4	45

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK3A-CT-04022	4	22	4	45
SDK3A-CT-04025	4	25	4	50
SDK3A-CT-04028	4	28	4	50
SDK3A-CT-04032	4	32	4	55
SDK3A-CT-06017	6	17	6	50
SDK3A-CT-06022	6	22	6	50
SDK3A-CT-06025	6	25	6	50
SDK3A-CT-06028	6	28	6	60
SDK3A-CT-06032	6	32	6	60
SDK3A-CT-06042	6	42	6	75
SDK3A-CT-06052	6	52	6	85
SDK3A-CT-06062	6	62	6	100
SDK3A-CT-08025	8	25	8	60
SDK3A-CT-08032	8	32	8	60
SDK3A-CT-08035	8	35	8	75
SDK3A-CT-08042	8	42	8	75
SDK3A-CT-08052	8	52	8	90
SDK3A-CT-10042	10	42	10	75
SDK3A-CT-10052	10	52	10	100
SDK3A-CT-12042	12	42	12	75
SDK3A-CT-12045	12	52	12	100

SDK2A-TB2

2A级锥度球刀

Carbide Two Flutes Spiral Tapered Ball Nose End Mills



适用于：木头，铝件，塑胶，铸件，铜件，铝合金，不锈钢模具等材料。

Applicable: Wood, aluminum, plastic, plastic part, copper parts, aluminium alloy,


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-TB2-005015S	R0.25	15	3.175	38.5
SDK2A-TB2-010015S	R0.5	15	3.175	38.5
SDK2A-TB2-015015S	R0.75	15	3.175	38.5
SDK2A-TB2-020015S	R1	15	3.175	38.5
SDK2A-TB2-005015M	R0.25	15	4	50
SDK2A-TB2-010015M	R0.5	15	4	50
SDK2A-TB2-015015M	R0.75	15	4	50
SDK2A-TB2-020015M	R1	15	4	50
SDK2A-TB2-005020S	R0.25	20.5	4	50
SDK2A-TB2-010020S	R0.5	20.5	4	50
SDK2A-TB2-015020S	R0.75	20.5	4	50
SDK2A-TB2-020020S	R1	20.5	4	50
SDK2A-TB2-005020M	R0.25	20.5	6	50
SDK2A-TB2-010020M	R0.5	20.5	6	50
SDK2A-TB2-015020M	R0.75	20.5	6	50
SDK2A-TB2-020020M	R1	20.5	6	50
SDK2A-TB2-020025S	R1	25	6	75

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-TB2-005030M	R0.25	30.5	6	75
SDK2A-TB2-010030M	R0.5	30.5	6	75
SDK2A-TB2-015030M	R0.75	30.5	6	75
SDK2A-TB2-020030M	R1	30.5	6	75
SDK2A-TB2-030030M	R1.5	30.5	6	75
SDK2A-TB2-040030M	R2	30.5	6	75
SDK2A-TB2-010047M	R0.5	47	8	85
SDK2A-TB2-020047M	R1	47	8	85
SDK2A-TB2-030047M	R1.5	47	8	85
SDK2A-TB2-040047M	R2	47	8	85
SDK2A-TB2-010060M	R0.5	60	8	100
SDK2A-TB2-020060M	R1	60	8	100
SDK2A-TB2-030060M	R1.5	60	8	100
SDK2A-TB2-040060M	R2	60	8	100
SDK2A-TB2-040070M	R2	70	10	110
SDK2A-TB2-040070L	R2	70	12	120

SDK1A-S2

A级两刃木工刀

Carbide Two Flutes Spiral Bits (A series)



适用于：较适用密度板、实木；可以用于胶合板、硬木、硬质PVC等。

特点：耐用度高，不易断刀。

Applicable: MDF, Solid Wood, Plywood, Hard wood, Hard PVC

Features: high abrasion resistance, anti-broken.


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK1A-S2-03108	3.175	8	3.175	38.5
SDK1A-S2-03112	3.175	12	3.175	38.5
SDK1A-S2-03115	3.175	15	3.175	38.5
SDK1A-S2-03117	3.175	17	3.175	38.5
SDK1A-S2-03122	3.175	22	3.175	38.5
SDK1A-S2-03125	3.175	25	3.175	45
SDK1A-S2-03128	3.175	28	3.175	45
SDK1A-S2-03132	3.175	32	3.175	50
SDK1A-S2-03142	3.175	42	3.175	65
SDK1A-S2-03152	3.175	52	3.175	75
SDK1A-S2-01004	1	4	3.175	38.5
SDK1A-S2-01506	1.5	6	3.175	38.5
SDK1A-S2-01508	1.5	8	3.175	38.5
SDK1A-S2-01512	1.5	12	3.175	38.5
SDK1A-S2-02008	2	8	3.175	38.5
SDK1A-S2-02012	2	12	3.175	38.5
SDK1A-S2-02015	2	15	3.175	38.5
SDK1A-S2-02017	2	17	3.175	38.5
SDK1A-S2-02022	2	22	3.175	45
SDK1A-S2-02508	2.5	8	3.175	38.5
SDK1A-S2-02512	2.5	12	3.175	38.5
SDK1A-S2-02515	2.5	15	3.175	38.5
SDK1A-S2-02517	2.5	17	3.175	38.5
SDK1A-S2-02522	2.5	22	3.175	45
SDK1A-S2-04008	4	8	4	45
SDK1A-S2-04012	4	12	4	45
SDK1A-S2-04015	4	15	4	45
SDK1A-S2-04017	4	17	4	45

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK1A-S2-04022	4	22	4	45
SDK1A-S2-04025	4	25	4	45
SDK1A-S2-04028	4	28	4	50
SDK1A-S2-04032	4	32	4	55
SDK1A-S2-04042	4	42	4	65
SDK1A-S2-04052	4	52	4	75
SDK1A-S2-05017	5	17	5	50
SDK1A-S2-05022	5	22	5	50
SDK1A-S2-05025	5	25	5	50
SDK1A-S2-05028	5	28	5	55
SDK1A-S2-05032	5	32	5	55
SDK1A-S2-06012	6	12	6	50
SDK1A-S2-06017	6	17	6	50
SDK1A-S2-06022	6	22	6	50
SDK1A-S2-06025	6	25	6	50
SDK1A-S2-06028	6	28	6	60
SDK1A-S2-06032	6	32	6	60
SDK1A-S2-06042	6	42	6	70
SDK1A-S2-06052	6	52	6	80
SDK1A-S2-06062	6	62	6	100
SDK1A-S2-08025	8	25	8	60
SDK1A-S2-08032	8	32	8	60
SDK1A-S2-08042	8	42	8	75
SDK1A-S2-08052	8	52	8	90
SDK1A-S2-10032	10	32	10	75
SDK1A-S2-10042	10	42	10	85
SDK1A-S2-10052	10	52	10	100
SDK1A-S2-10062	10	62	10	110

SDK2A-S2

2A级两刃木工平刀

Carbide Two Flutes Spiral Bits (2A series)



适用于：较适用密度板、实木；可以用于胶合板、硬木、硬质PVC等。

特点：耐用度高，不易断刀。

Applicable: MDF, Solid Wood, Plywood, Hard wood, Hard PVC

Features: Imported tungsten steel, high abrasion resistance, anti-broken.


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S2-03112	3.175	12	3.175	38.5
SDK2A-S2-03115	3.175	15	3.175	38.5
SDK2A-S2-03117	3.175	17	3.175	38.5
SDK2A-S2-03122	3.175	22	3.175	45
SDK2A-S2-03125	3.175	25	3.175	50
SDK2A-S2-03128	3.175	28	3.175	50
SDK2A-S2-03132	3.175	32	3.175	55
SDK2A-S2-00803	0.8	3	3.175	38.5
SDK2A-S2-01005	1	5	3.175	38.5
SDK2A-S2-01006	1	6	3.175	38.5
SDK2A-S2-01008	1	8	3.175	38.5
SDK2A-S2-01206	1.2	6	3.175	38.5
SDK2A-S2-01506	1.5	6	3.175	38.5
SDK2A-S2-01507	1.5	7	3.175	38.5
SDK2A-S2-01508	1.5	8	3.175	38.5
SDK2A-S2-02006	2	6	3.175	38.5
SDK2A-S2-02008	2	8	3.175	38.5
SDK2A-S2-02012	2	12	3.175	38.5
SDK2A-S2-02017	2	17	3.175	38.5

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S2-02022	2	22	3.175	45
SDK2A-S2-02508	2.5	8	3.175	38.5
SDK2A-S2-02512	2.5	12	3.175	38.5
SDK2A-S2-02517	2.5	17	3.175	38.5
SDK2A-S2-02522	2.5	22	3.175	45
SDK2A-S2-04012	4	12	4	45
SDK2A-S2-04017	4	17	4	45
SDK2A-S2-04022	4	22	4	45
SDK2A-S2-04025	4	25	4	50
SDK2A-S2-04028	4	28	4	50
SDK2A-S2-04032	4	32	4	55
SDK2A-S2-06012	6	12	6	50
SDK2A-S2-06017	6	17	6	50
SDK2A-S2-06022	6	22	6	50
SDK2A-S2-06025	6	25	6	50
SDK2A-S2-06028	6	28	6	60
SDK2A-S2-06032	6	32	6	60
SDK2A-S2-06042	6	42	6	70
SDK2A-S2-06052	6	52	6	80

SDK1A-B2

A级两刃木工球刀

Carbide Two Flutes Ball Nose Spiral Bits (A series)



适用于：亚克力、PVC、密度板、硬木等。

Applicable: Acrylic, PVC, MDF, Hard Wood and so on


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK1A-B2-03108	3.175	8	3.175	38.5
SDK1A-B2-03112	3.175	12	3.175	38.5
SDK1A-B2-03115	3.175	15	3.175	38.5
SDK1A-B2-03117	3.175	17	3.175	38.5
SDK1A-B2-03122	3.175	22	3.175	38.5
SDK1A-B2-03125	3.175	25	3.175	45
SDK1A-B2-03128	3.175	28	3.175	45
SDK1A-B2-03132	3.175	32	3.175	50
SDK1A-B2-01004	1	4	3.175	38.5
SDK1A-B2-01507	1.5	7	3.175	38.5
SDK1A-B2-02008	2	8	3.175	38.5
SDK1A-B2-02012	2	12	3.175	38.5
SDK1A-B2-02015	2	15	3.175	38.5
SDK1A-B2-02017	2	17	3.175	38.5
SDK1A-B2-02022	2	22	3.175	45
SDK1A-B2-02508	2.5	8	3.175	38.5
SDK1A-B2-02512	2.5	12	3.175	38.5
SDK1A-B2-02515	2.5	15	3.175	38.5
SDK1A-B2-02517	2.5	17	3.175	38.5
SDK1A-B2-02522	2.5	22	3.175	45
SDK1A-B2-04012	4	12	4	45
SDK1A-B2-04015	4	15	4	45
SDK1A-B2-04017	4	17	4	45

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK1A-B2-04022	4	22	4	45
SDK1A-B2-04025	4	25	4	45
SDK1A-B2-04028	4	28	4	50
SDK1A-B2-04032	4	32	4	55
SDK1A-B2-04042	4	42	4	65
SDK1A-B2-04052	4	52	4	75
SDK1A-B2-06012	6	12	6	50
SDK1A-B2-06017	6	17	6	50
SDK1A-B2-06022	6	22	6	50
SDK1A-B2-06025	6	25	6	50
SDK1A-B2-06028	6	28	6	60
SDK1A-B2-06032	6	32	6	60
SDK1A-B2-06042	6	42	6	70
SDK1A-B2-06052	6	52	6	80
SDK1A-B2-08025	8	25	8	60
SDK1A-B2-08032	8	32	8	60
SDK1A-B2-08042	8	42	8	75
SDK1A-B2-08052	8	52	8	85
SDK1A-B2-10032	10	32	10	75
SDK1A-B2-10042	10	42	10	85
SDK1A-B2-10052	10	52	10	100
SDK1A-B2-10062	10	62	10	110

SDK1A-ST2

A级两刃直槽铣刀

Carbide Two Flutes Straight Bits (A series)



适用于：二维雕刻, 切割, 中密度板, 硬木。

特点：钨钢刀体专为数控雕刻MDF板材而设计, 结合了硬质刀体和高级刀刃, 经久耐用。

Applicable: 2D engraving, cutting, MDF, Hard wood.

Features: The tungsten steel cutter body is specifically for CNC engraving machine processing MDF material, combined with hard cutter body and advanced blade. Durable and strong.


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK1A-ST2-03108	3.175	8	3.175	38.5
SDK1A-ST2-03112	3.175	12	3.175	38.5
SDK1A-ST2-03115	3.175	15	3.175	38.5
SDK1A-ST2-03117	3.175	17	3.175	38.5
SDK1A-ST2-03122	3.175	22	3.175	45
SDK1A-ST2-03125	3.175	25	3.175	45
SDK1A-ST2-03128	3.175	28	3.175	50
SDK1A-ST2-03132	3.175	32	3.175	55
SDK1A-ST2-01003	1	3	3.175	38.5
SDK1A-ST2-01504	1.5	4	3.175	38.5
SDK1A-ST2-01507	1.5	7	3.175	38.5
SDK1A-ST2-01512	1.5	12	3.175	38.5
SDK1A-ST2-02006	2	6	3.175	38.5
SDK1A-ST2-02008	2	8	3.175	38.5
SDK1A-ST2-02012	2	12	3.175	38.5
SDK1A-ST2-02017	2	17	3.175	38.5
SDK1A-ST2-02508	2.5	8	3.175	38.5
SDK1A-ST2-02512	2.5	12	3.175	38.5
SDK1A-ST2-02515	2.5	15	3.175	38.5
SDK1A-ST2-02517	2.5	17	3.175	38.5
SDK1A-ST2-02522	2.5	22	3.175	45
SDK1A-ST2-04012	4	12	4	45
SDK1A-ST2-04017	4	17	4	45
SDK1A-ST2-04022	4	22	4	45
SDK1A-ST2-04025	4	25	4	45
SDK1A-ST2-04028	4	28	4	50

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK1A-ST2-04032	4	32	4	55
SDK1A-ST2-04042	4	42	4	65
SDK1A-ST2-05012	5	12	5	50
SDK1A-ST2-05017	5	17	5	50
SDK1A-ST2-05022	5	22	5	50
SDK1A-ST2-05025	5	25	5	50
SDK1A-ST2-05028	5	28	5	55
SDK1A-ST2-05032	5	32	5	55
SDK1A-ST2-05042	5	42	5	70
SDK1A-ST2-06017	6	17	6	50
SDK1A-ST2-06022	6	22	6	50
SDK1A-ST2-06025	6	25	6	50
SDK1A-ST2-06028	6	28	6	60
SDK1A-ST2-06032	6	32	6	60
SDK1A-ST2-06042	6	42	6	70
SDK1A-ST2-06052	6	52	6	80
SDK1A-ST2-06062	6	62	6	100
SDK1A-ST2-08025	8	25	8	60
SDK1A-ST2-08032	8	32	8	60
SDK1A-ST2-08042	8	42	8	75
SDK1A-ST2-08052	8	52	8	90
SDK1A-ST2-08062	8	62	8	100
SDK1A-ST2-10032	10	35	10	75
SDK1A-ST2-10042	10	42	10	85
SDK1A-ST2-10052	10	52	10	100
SDK1A-ST2-10062	10	62	10	110

SDK3A-S2DC

3A级两刃左旋铣刀

Carbide Two Flutes Down Cut Spiral Bits (3A Series)



适用于：密度板、多层板、夹板等。

Applicable: MDF, Multilayer board, Plywood


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK3A-S2DC-01003	1	3	3.175	38.5
SDK3A-S2DC-01507	1.5	7	3.175	38.5
SDK3A-S2DC-02008	2	8	3.175	38.5
SDK3A-S2DC-02012	2	12	3.175	38.5
SDK3A-S2DC-02508	2.5	8	3.175	38.5
SDK3A-S2DC-02512	2.5	12	3.175	38.5
SDK3A-S2DC-02515	2.5	15	3.175	38.5
SDK3A-S2DC-03112	3.175	12	3.175	38.5
SDK3A-S2DC-03115	3.175	15	3.175	38.5
SDK3A-S2DC-03117	3.175	17	3.175	38.5
SDK3A-S2DC-03122	3.175	22	3.175	45
SDK3A-S2DC-04012	4	12	4	45
SDK3A-S2DC-04015	4	15	4	45
SDK3A-S2DC-04017	4	17	4	45
SDK3A-S2DC-04022	4	22	4	45
SDK3A-S2DC-04025	4	25	4	50
SDK3A-S2DC-04028	4	28	4	50

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK3A-S2DC-04032	4	32	4	55
SDK3A-S2DC-06017	6	17	6	50
SDK3A-S2DC-06022	6	22	6	50
SDK3A-S2DC-06025	6	25	6	50
SDK3A-S2DC-06028	6	28	6	60
SDK3A-S2DC-06032	6	32	6	60
SDK3A-S2DC-08025	8	25	8	60
SDK3A-S2DC-08032	8	32	8	65
SDK3A-S2DC-08035	8	35	8	75
SDK3A-S2DC-08042	8	42	8	75
SDK3A-S2DC-08045	8	45	8	90/100
SDK3A-S2DC-10035	10	35	10	75
SDK3A-S2DC-10045	10	45	10	100
SDK3A-S2DC-10055	10	55	10	100
SDK3A-S2DC-12045	12	45	12	90
SDK3A-S2DC-12055	12	55	12	100

SDK2A-S2CO

2A级两刃复合刃刀

Carbide Compression Up&down Cut Two Flutes Spiral Bits (2A series)



适用于：密度板、贴皮板、原生木。

Applicable: MDF, Board with lagging, log.


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S2CO-03112	3.175	12	3.175	38
SDK2A-S2CO-03115	3.175	15	3.175	38
SDK2A-S2CO-03117	3.175	17	3.175	38
SDK2A-S2CO-03122	3.175	22	3.175	45
SDK2A-S2CO-04015	4	15	4	45
SDK2A-S2CO-04018	4	17	4	45
SDK2A-S2CO-04022	4	22	4	45
SDK2A-S2CO-04024	4	25	4	50
SDK2A-S2CO-04028	4	28	4	50
SDK2A-S2CO-04032	4	32	4	55
SDK2A-S2CO-05017	5	17	5	50
SDK2A-S2CO-05022	5	22	5	50
SDK2A-S2CO-05025	5	25	5	50
SDK2A-S2CO-05028	5	28	5	55
SDK2A-S2CO-05030	5	32	5	55
SDK2A-S2CO-06018	6	17	6	50

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-S2CO-06022	6	22	6	50
SDK2A-S2CO-06025	6	25	6	50
SDK2A-S2CO-06028	6	28	6	60
SDK2A-S2CO-06032	6	32	6	60
SDK2A-S2CO-08022	8	22	8	60
SDK2A-S2CO-08026	8	25	8	60
SDK2A-S2CO-08028	8	28	8	60
SDK2A-S2CO-08032	8	32	8	65
SDK2A-S2CO-08035	8	35	8	75
SDK2A-S2CO-08038	8	38	8	75
SDK2A-S2CO-08040	8	42	8	75
SDK2A-S2CO-08052	8	55	8	100
SDK2A-S2CO-10035	10	32	10	75
SDK2A-S2CO-10045	10	42	10	85
SDK2A-S2CO-10052	10	52	10	100

SDK3A-S2CO

3A级两刃复合刃铣刀

Carbide Compression Up&down Cut Two Flutes Spiral Bits (3A series)



适用于：密度板、贴皮板、原生木。

Applicable: MDF, Board with lagging, log.


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK3A-S2CO-03112	3.175	12	3.175	38
SDK3A-S2CO-03115	3.175	15	3.175	38
SDK3A-S2CO-03117	3.175	17	3.175	38
SDK3A-S2CO-03122	3.175	22	3.175	45
SDK3A-S2CO-04012	4	12	4	45
SDK3A-S2CO-04015	4	15	4	45
SDK3A-S2CO-04018	4	17	4	45
SDK3A-S2CO-04022	4	22	4	45
SDK3A-S2CO-04024	4	25	4	50
SDK3A-S2CO-04028	4	28	4	50
SDK3A-S2CO-04032	4	32	4	55
SDK3A-S2CO-05017	5	17	5	50
SDK3A-S2CO-05022	5	22	5	50
SDK3A-S2CO-05025	5	25	5	50
SDK3A-S2CO-05028	5	28	5	55
SDK3A-S2CO-05033	5	32	5	60
SDK3A-S2CO-06018	6	17	6	50
SDK3A-S2CO-06022	6	22	6	50

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK3A-S2CO-06025	6	25	6	50
SDK3A-S2CO-06028	6	28	6	60
SDK3A-S2CO-06032	6	32	6	60
SDK3A-S2CO-06035	6	35	6	75
SDK3A-S2CO-06040	6	42	6	75
SDK3A-S2CO-08022	8	22	8	60
SDK3A-S2CO-08026	8	25	8	60
SDK3A-S2CO-08028	8	28	8	60
SDK3A-S2CO-08032	8	32	8	65
SDK3A-S2CO-08035	8	35	8	75
SDK3A-S2CO-08038	8	38	8	75
SDK3A-S2CO-08040	8	42	8	75
SDK3A-S2CO-08045	8	45	8	90
SDK3A-S2CO-08052	8	55	8	100
SDK3A-S2CO-10035	10	35	10	75
SDK3A-S2CO-10038	10	38	10	75
SDK3A-S2CO-10045	10	42	10	85
SDK3A-S2CO-10052	10	52	10	100

SDK2A-FB

2A级平底尖刀

Carbide Flat Bottom Engraving Bits 2A Series (Fine grinding and polishing)



适用于：双色板、ABS木板、亚克力、PVC、铝板、铜板、铁板等。

特点：二维雕刻，切割，三维雕刻；板材的雕刻及薄板的切割（如双色板、ABS建筑模型等）精细文字应选用大角度大刀锋，雕刻刀路设计时选用刀具时角度和刀锋最大化以提高雕刻效率。雕刻较硬材质角度应大，刀锋宜大，45度，60度，90度也可以用来板V型切割。

Applicable: Double-color board, ABS Board, Acrylic, PVC, Aluminum, copper, iron

Features: Mainly for 2D&3D engraving, cutting; The panel carving and sheet cutting (such as bi-color panel, ABS architectural models, etc.) Small angle and small blade shall be employed to process small characters and patterns; while bigger one suits bigger. For carving the maximum angle and blade shall be chosen to enhance efficiency. The harder material shall get bigger angle and blade (knife acrylic), say, 45, 60, 90. It can be used for V-shape processing.


型号 Item No.	全角 degree	刃径 d	柄径 D	全长 L
SDK2A-FB-31001	10	0.1	3.175	38
SDK2A-FB-31002	10	0.2	3.175	38
SDK2A-FB-31003	10	0.3	3.175	38
SDK2A-FB-32001	15	0.1	3.175	38
SDK2A-FB-32002	15	0.2	3.175	38
SDK2A-FB-32003	15	0.3	3.175	38
SDK2A-FB-33001	20	0.1	3.175	38
SDK2A-FB-33002	20	0.2	3.175	38
SDK2A-FB-33003	20	0.3	3.175	38
SDK2A-FB-33004	20	0.4	3.175	38
SDK2A-FB-33005	20	0.5	3.175	38
SDK2A-FB-33008	20	0.8	3.175	38
SDK2A-FB-33010	20	1	3.175	38
SDK2A-FB-34001	30	0.1	3.175	38
SDK2A-FB-34002	30	0.2	3.175	38
SDK2A-FB-34003	30	0.3	3.175	38
SDK2A-FB-34004	30	0.4	3.175	38
SDK2A-FB-34005	30	0.5	3.175	38
SDK2A-FB-34008	30	0.8	3.175	38
SDK2A-FB-34010	30	1	3.175	38
SDK2A-FB-35001	45	0.1	3.175	38
SDK2A-FB-35002	45	0.2	3.175	38
SDK2A-FB-35003	45	0.3	3.175	38
SDK2A-FB-35004	45	0.4	3.175	38
SDK2A-FB-35005	45	0.5	3.175	38
SDK2A-FB-36001	60	0.1	3.175	38
SDK2A-FB-36002	60	0.2	3.175	38

型号 Item No.	全角 degree	刃径 d	柄径 D	全长 L
SDK2A-FB-36003	60	0.3	3.175	38
SDK2A-FB-36004	60	0.4	3.175	38
SDK2A-FB-36005	60	0.5	3.175	38
SDK2A-FB-37001	90	0.1	3.175	38
SDK2A-FB-37002	90	0.2	3.175	38
SDK2A-FB-37003	90	0.3	3.175	38
SDK2A-FB-37004	90	0.4	3.175	38
SDK2A-FB-37005	90	0.5	3.175	38
SDK2A-FB-40001	20	0.1	4	45
SDK2A-FB-40002	20	0.2	4	45
SDK2A-FB-40003	20	0.3	4	45
SDK2A-FB-40004	20	0.4	4	45
SDK2A-FB-40005	20	0.5	4	45
SDK2A-FB-40008	20	0.8	4	45
SDK2A-FB-40010	20	1	4	45
SDK2A-FB-41001	30	0.1	4	45
SDK2A-FB-41002	30	0.2	4	45
SDK2A-FB-41003	30	0.3	4	45
SDK2A-FB-41004	30	0.4	4	45
SDK2A-FB-41005	30	0.5	4	45
SDK2A-FB-41008	30	0.8	4	45
SDK2A-FB-41010	30	1	4	45
SDK2A-FB-42001	45	0.1	4	45
SDK2A-FB-42002	45	0.2	4	45
SDK2A-FB-42003	45	0.3	4	45
SDK2A-FB-42004	45	0.4	4	45
SDK2A-FB-42005	45	0.5	4	45

SDK2A-FB

2A级平底尖刀

Carbide Flat Bottom Engraving Bits 2A Series (Fine grinding and polishing)



适用于：双色板、ABS木板、亚克力、PVC、铝板、铜板、铁板等。

特点：二维雕刻，切割，三维雕刻；板材的雕刻及薄板的切割（如双色板、ABS建筑模型等）精细文字应选用大角度大刀锋，雕刻刀路设计时选用刀具时角度和刀锋最大化以提高雕刻效率。雕刻较硬材质角度应大，刀锋宜大，45度，60度，90度也可以用来板V型切割。

Applicable: Double-color board, ABS Board, Acrylic, PVC, Aluminum, copper, iron

Features: Mainly for 2D&3D engraving, cutting; The panel carving and sheet cutting (such as bi-color panel, ABS architectural models, etc.) Small angle and small blade shall be employed to process small characters and patterns; while bigger one suits bigger. For carving the maximum angle and blade shall be chosen to enhance efficiency. The harder material shall get bigger angle and blade (knife acrylic), say, 45, 60, 90. It can be used for V-shape processing.


型号 Item No.	全角 degree	刃径 d	柄径 D	全长 L
SDK2A-FB-42008	45	0.8	4	45
SDK2A-FB-42010	45	1	4	45
SDK2A-FB-43001	60	0.1	4	45
SDK2A-FB-43002	60	0.2	4	45
SDK2A-FB-43003	60	0.3	4	45
SDK2A-FB-43004	60	0.4	4	45
SDK2A-FB-43005	60	0.5	4	45
SDK2A-FB-43008	60	0.8	4	45
SDK2A-FB-43010	60	1	4	45
SDK2A-FB-44001	90	0.1	4	45
SDK2A-FB-44002	90	0.2	4	45
SDK2A-FB-44003	90	0.3	4	45
SDK2A-FB-44004	90	0.4	4	45
SDK2A-FB-44005	90	0.5	4	45
SDK2A-FB-44008	90	0.8	4	45
SDK2A-FB-44010	90	1	4	45
SDK2A-FB-60001	20	0.1	6	50
SDK2A-FB-60002	20	0.2	6	50
SDK2A-FB-60003	20	0.3	6	50
SDK2A-FB-60004	20	0.4	6	50
SDK2A-FB-60005	20	0.5	6	50
SDK2A-FB-60008	20	0.8	6	50
SDK2A-FB-60010	20	1	6	50
SDK2A-FB-60020	20	2	6	50
SDK2A-FB-61001	30	0.1	6	50
SDK2A-FB-61002	30	0.2	6	50
SDK2A-FB-61003	30	0.3	6	50

型号 Item No.	全角 degree	刃径 d	柄径 D	全长 L
SDK2A-FB-61004	30	0.4	6	50
SDK2A-FB-61005	30	0.5	6	50
SDK2A-FB-61008	30	0.8	6	50
SDK2A-FB-61010	30	1	6	50
SDK2A-FB-61020	30	2	6	50
SDK2A-FB-62001	45	0.1	6	50
SDK2A-FB-62002	45	0.2	6	50
SDK2A-FB-62003	45	0.3	6	50
SDK2A-FB-62004	45	0.4	6	50
SDK2A-FB-62005	45	0.5	6	50
SDK2A-FB-62008	45	0.8	6	50
SDK2A-FB-62010	45	1	6	50
SDK2A-FB-63001	60	0.1	6	50
SDK2A-FB-63002	60	0.2	6	50
SDK2A-FB-63003	60	0.3	6	50
SDK2A-FB-63004	60	0.4	6	50
SDK2A-FB-63005	60	0.5	6	50
SDK2A-FB-63008	60	0.8	6	50
SDK2A-FB-63010	60	1	6	50
SDK2A-FB-64001	90	0.1	6	50
SDK2A-FB-64002	90	0.2	6	50
SDK2A-FB-64003	90	0.3	6	50
SDK2A-FB-64004	90	0.4	6	50
SDK2A-FB-64005	90	0.5	6	50
SDK2A-FB-64008	90	0.8	6	50
SDK2A-FB-64010	90	1	6	50

SDK2A-FB

德国涂层平底尖刀

Germany Material Coating Flat Bottom Engraving Bits For Metal



适用于：铝板、铜板、铁板等。

特点：二维雕刻，切割，三维雕刻；雕刻刀路设计时选用刀具时角度和刀锋最大化以提高雕刻效率；雕刻较硬材质角度应大，刀锋宜大。

Applicable: Aluminum, copper, iron

Features: Mainly for: 2D&3D engraving, cutting; while bigger one suits bigger. For carving the maximum angle and blade shall be chosen to enhance efficiency.


型号 Item No.	全角 degree	刃径 d	柄径 D	全长 L
SDK2A-FB-33001-C	20	0.1	3.175	38.5
SDK2A-FB-33002-C	20	0.2	3.175	38.5
SDK2A-FB-33003-C	20	0.3	3.175	38.5
SDK2A-FB-33004-C	20	0.4	3.175	38.5
SDK2A-FB-33005-C	20	0.5	3.175	38.5
SDK2A-FB-33008-C	20	0.8	3.175	38.5
SDK2A-FB-33010-C	20	1	3.175	38.5
SDK2A-FB-34001-C	30	0.1	3.175	38.5
SDK2A-FB-34002-C	30	0.2	3.175	38.5
SDK2A-FB-34003-C	30	0.3	3.175	38.5
SDK2A-FB-34004-C	30	0.4	3.175	38.5
SDK2A-FB-34005-C	30	0.5	3.175	38.5
SDK2A-FB-34008-C	30	0.8	3.175	38.5
SDK2A-FB-34010-C	30	1	3.175	38.5
SDK2A-FB-35001-C	45	0.1	3.175	38.5

型号 Item No.	全角 degree	刃径 d	柄径 D	全长 L
SDK2A-FB-35002-C	45	0.2	3.175	38.5
SDK2A-FB-35003-C	45	0.3	3.175	38.5
SDK2A-FB-35004-C	45	0.4	3.175	38.5
SDK2A-FB-35005-C	45	0.5	3.175	38.5
SDK2A-FB-36001-C	60	0.1	3.175	38.5
SDK2A-FB-36002-C	60	0.2	3.175	38.5
SDK2A-FB-36003-C	60	0.3	3.175	38.5
SDK2A-FB-36004-C	60	0.4	3.175	38.5
SDK2A-FB-36005-C	60	0.5	3.175	38.5
SDK2A-FB-37001-C	90	0.1	3.175	38.5
SDK2A-FB-37002-C	90	0.2	3.175	38.5
SDK2A-FB-37003-C	90	0.3	3.175	38.5
SDK2A-FB-37004-C	90	0.4	3.175	38.5
SDK2A-FB-37005-C	90	0.5	3.175	38.5

SDK1A-STB2

直槽圆底尖刀

Carbide Two Straight Radius Bottom Engraving Bits



适用于：单头或多头雕刻机深浮雕雕刻密度板、实木等。

Applicable: Single head or multi-head CNC machine deep relief engraving (MDF, Wood and so on)


型号 Item No.	刃径 d	刃长 l	柄径 D	全长 L
SDK1A-STB2-001025	R0.5	25	6	60
SDK1A-STB2-001525	R0.75	25	6	60
SDK1A-STB2-002025	R1	25	6	60
SDK1A-STB2-002525	R1.5	25	6	60
SDK1A-STB2-004025	R2	25	6	60
SDK1A-STB2-001030	R0.5	30	6	70
SDK1A-STB2-001530	R0.75	30	6	70
SDK1A-STB2-002030	R1	30	6	70
SDK1A-STB2-002530	R1.5	30	6	70
SDK1A-STB2-004030	R2	30	6	70

型号 Item No.	刃径 d	刃长 l	柄径 D	全长 L
SDK1A-STB2-001035	R0.5	35	6	80
SDK1A-STB2-001535	R0.75	35	6	80
SDK1A-STB2-002035	R1	35	6	80
SDK1A-STB2-002535	R1.5	35	6	80
SDK1A-STB2-004035	R2	35	6	80
SDK1A-STB2-001045	R0.5	45	6	100
SDK1A-STB2-001545	R0.75	45	6	100
SDK1A-STB2-002045	R1	45	6	100
SDK1A-STB2-003045	R1.5	45	6	100
SDK1A-STB2-004045	R2	45	6	100

SDK1A-3D

3D尖刀

3D Router Bits



适用于：亚克力、PVC、MDF，硬木等。

特点：V型槽，三维清角，倒边，V立体三维，使用时应保持雕刻台面的水平，刃径越宽精度越低，选择刃宽应尽量最小。小功率电机不应选用32mm刃宽的刀具。

Applicable: Acrylic, PVC, MDF, Hard wood.

Features:v-groove, 3D chamfering, v-type 3D;3D engraving has been widely used in the advertising industry. Make sure the table is on horizontal position when doing 3D engraving. Such cutter must be with its blade wider than 10 mm and is usually being welded with the cutter body. The wider the blade, the lower the precision. Cutter blade wide than 32mm is not suitable for small power motor.


型号	刃径	角度	柄径
Item No.	d	A	D
SDK1A-3D-1606006	16	60	6
SDK1A-3D-1609006	16	90	6
SDK1A-3D-1612006	16	120	6
SDK1A-3D-1613506	16	135	6
SDK1A-3D-1615006	16	150	6
SDK1A-3D-2206006	22	60	6
SDK1A-3D-2209006	22	90	6
SDK1A-3D-2212006	22	120	6
SDK1A-3D-2213506	22	135	6
SDK1A-3D-2215006	22	150	6
SDK1A-3D-3206006	32	60	6
SDK1A-3D-3209006	32	90	6
SDK1A-3D-3212006	32	120	6
SDK1A-3D-3213506	32	135	6
SDK1A-3D-3215006	32	150	6
SDK1A-3D-1606008	16	60	8
SDK1A-3D-1609008	16	90	8
SDK1A-3D-1612008	16	120	8
SDK1A-3D-1613508	16	135	8
SDK1A-3D-1615008	16	150	8
SDK1A-3D-2206008	22	60	8
SDK1A-3D-2209008	22	90	8
SDK1A-3D-2212008	22	120	8

型号	刃径	角度	柄径
Item No.	d	A	D
SDK1A-3D-2213508	22	135	8
SDK1A-3D-2215008	22	150	8
SDK1A-3D-3206008	32	60	8
SDK1A-3D-3209008	32	90	8
SDK1A-3D-3212008	32	120	8
SDK1A-3D-3213508	32	135	8
SDK1A-3D-3215008	32	150	8
SDK1A-3D-1606012	16	60	12.7
SDK1A-3D-1609012	16	90	12.7
SDK1A-3D-1612012	16	120	12.7
SDK1A-3D-1613512	16	135	12.7
SDK1A-3D-1615012	16	150	12.7
SDK1A-3D-2206012	22	60	12.7
SDK1A-3D-2209012	22	90	12.7
SDK1A-3D-2212012	22	120	12.7
SDK1A-3D-2213512	22	135	12.7
SDK1A-3D-2215012	22	150	12.7
SDK1A-3D-3206012	32	60	12.7
SDK1A-3D-3209012	32	90	12.7
SDK1A-3D-3212012	32	120	12.7
SDK1A-3D-3213512	32	135	12.7
SDK1A-3D-3215012	32	150	12.7

SDK1A-CB

清底刀

Cleaning Bottom Router Bits



适用于：有机板，密度板，实木，PVC。

Applicable: organic board, density board, wood, PVC


型号 Item No.	刃径 d	柄径 D
SDK1A-CB-1006	10	6
SDK1A-CB-1606	16	6
SDK1A-CB-2206	22	6
SDK1A-CB-2506	25	6
SDK1A-CB-3206	32	6
SDK1A-CB-1008	10	8
SDK1A-CB-1608	16	8
SDK1A-CB-2208	22	8

型号 Item No.	刃径 d	柄径 D
SDK1A-CB-2508	25	8
SDK1A-CB-3208	32	8
SDK1A-CB-1012	10	12.7
SDK1A-CB-1612	16	12.7
SDK1A-CB-2212	22	12.7
SDK1A-CB-2512	25	12.7
SDK1A-CB-3212	32	12.7

SDK1A-SK

尖嘴刀

Sharp knife



适用于：有机板，密度板，实木，PVC。

Applicable: organic board, density board, wood, PVC.

型号 Item No.	刃径 d	柄径 D
SDK1A-SK-1206	12	6
SDK1A-SK-1606	16	6
SDK1A-SK-2206	22	6
SDK1A-SK-2506	25	6
SDK1A-SK-3206	32	6
SDK1A-SK-1208	12	8
SDK1A-SK-1608	16	8
SDK1A-SK-2208	22	8

型号 Item No.	刃径 d	柄径 D
SDK1A-SK-2508	25	8
SDK1A-SK-3208	32	8
SDK1A-SK-1212	12	12.7
SDK1A-SK-1612	16	12.7
SDK1A-SK-2212	22	12.7
SDK1A-SK-2512	25	12.7
SDK1A-SK-3212	32	12.7

SDK1A-RB

圆底刀

Round Bottom Cutter



适用于：有机板，密度板，实木，PVC。

Applicable: organic board, density board, wood, PVC.


型号 Item No.	刃径 d	柄径 D
SDK1A-RB-1206	12	6
SDK1A-RB-1606	16	6
SDK1A-RB-2206	22	6
SDK1A-RB-2506	25	6
SDK1A-RB-3206	32	6
SDK1A-RB-1208	12	8
SDK1A-RB-1608	16	8
SDK1A-RB-2208	22	8

型号 Item No.	刃径 d	柄径 D
SDK1A-RB-2508	25	8
SDK1A-RB-3208	32	8
SDK1A-RB-1212	12	12.7
SDK1A-RB-1612	16	12.7
SDK1A-RB-2212	22	12.7
SDK1A-RB-2512	25	12.7
SDK1A-RB-3212	32	12.7

SDK2A-RW3

三刃粗皮刀

Carbide Three Flutes Roughing End Mills



适用于：刨花板、密度板、胶合板、铝等高效率粗铣加工。

Applicable: High efficiency Rough milling processing on Chipboard, MDF, Plywood, Aluminum

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-RW3-06022	6	22	6	60
SDK2A-RW3-06025	6	25	6	60
SDK2A-RW3-06028	6	28	6	65
SDK2A-RW3-06032	6	32	6	70
SDK2A-RW3-06035	6	35	6	70
SDK2A-RW3-06042	6	42	6	80
SDK2A-RW3-08025	8	25	8	60
SDK2A-RW3-08028	8	32	8	70
SDK2A-RW3-08032	8	35	8	75
SDK2A-RW3-08035	8	38	8	80
SDK2A-RW3-08042	8	42	8	80
SDK2A-RW3-10037	10	37	10	85
SDK2A-RW3-10047	10	47	10	100
SDK2A-RW3-10052	10	52	10	100
SDK2A-RW3-10055	10	55	10	100
SDK2A-RW3-12035	12	35	12	75

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK2A-RW3-12045	12	45	12	100
SDK2A-RW3-12055	12	55	12	110
SDK2A-RW3-12075	12	75	12	130
SDK2A-RW3-12100	12	100	12	150
SDK2A-RW3-127035	12.7	35	12.7	90
SDK2A-RW3-127045	12.7	45	12.7	100
SDK2A-RW3-127055	12.7	55	12.7	110
SDK2A-RW3-127075	12.7	75	12.7	120
SDK2A-RW3-127100	12.7	100	12.7	150
SDK2A-RW3-16045	16	45	16	120
SDK2A-RW3-16055	16	55	16	130
SDK2A-RW3-16075	16	75	16	150
SDK2A-RW3-16100	16	100	16	170
SDK2A-RW3-18055	18	55	18	130
SDK2A-RW3-18075	18	75	18	150
SDK2A-RW3-18100	18	100	18	170

SDK4241-ST

HSS阶梯钻

HSS Straight & Spiral Flute Step Drill Bits Titanium Coated



适用于：台钻，手电钻等。

适于材料：HRC30度以下的钢板、铝、碳钢、塑料等，厚度5MM以下的金属。

Applicable machine tools: bench drill, hand electric drill tools, etc.

Applicable materials: steel plate, aluminium, carbon steel, plastics below HRC 30 degree, metal below 5MM thickness.


型号	刃径	类型	刃长	柄径	全长
Item No.	d	Flute Type	l	D	L
SDK4241-ST-0412	4-12	straight	7.5	6	64
SDK4241-ST-0420	4-20	straight	4.5	8	75
SDK4241-ST-0432	4-32	straight	4	10	100
SDK4241-SP-0412	4-12	spiral	7.5	6	64
SDK4241-SP-0420	4-20	spiral	4.5	8	75
SDK4241-SP-0432	4-32	spiral	4	10	100
SDK6532-ST-0412	4-12	straight	7.5	6	64
SDK6532-ST-0420	4-20	straight	4.5	8	75
SDK6532-ST-0432	4-32	straight	4	10	100

型号	刃径	类型	刃长	柄径	全长
Item No.	d	Flute Type	l	D	L
SDK6532-SP-0412	4-12	spiral	7.5	6	64
SDK6532-SP-0420	4-20	spiral	4.5	8	75
SDK6532-SP-0432	4-32	spiral	4	10	100
SDKM35-ST-0412	4-12	straight	7.5	6	64
SDKM35-ST-0420	4-20	straight	4.5	8	75
SDKM35-ST-0432	4-32	straight	4	10	100
SDKM35-SP-0412	4-12	spiral	7.5	6	64
SDKM35-SP-0420	4-20	spiral	4.5	8	75
SDKM35-SP-0432	4-32	spiral	4	10	100

SDK002-TCTST2

TCT二刃直刀

Two Flutes Straight TCT Router Bits For Wood



适用于：实木，多层板，刨花板，密度板等。

参数：转速20000转/分钟，进给速度可达12米-18米/分钟。

Applicable: Solid wood, Multilayer board, Particle board, MDF and so on

Parameters: spindle speed 20000 rpm, the feed rate of up to 12-18 M / min


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK002-TCTST2-01005	1	5	12.7	56
SDK002-TCTST2-01505	1.5	5	12.7	56
SDK002-TCTST2-02005	2	5	12.7	56
SDK002-TCTST2-02008	2	8	12.7	59
SDK002-TCTST2-02508	2.5	8	12.7	59
SDK002-TCTST2-03008	3	8	12.7	59
SDK002-TCTST2-03010	3	10	12.7	61
SDK002-TCTST2-03012	3	12	12.7	63
SDK002-TCTST2-03015	3	15	12.7	66
SDK002-TCTST2-03018	3	18	12.7	69
SDK002-TCTST2-03020	3	20	12.7	71
SDK002-TCTST2-03118	3.175	18	12.7	69
SDK002-TCTST2-03120	3.175	20	12.7	71
SDK002-TCTST2-03512	3.5	12	12.7	63
SDK002-TCTST2-03518	3.5	18	12.7	69
SDK002-TCTST2-03520	3.5	20	12.7	71
SDK002-TCTST2-03522	3.5	22	12.7	73
SDK002-TCTST2-03523	3.5	23	12.7	74
SDK002-TCTST2-04012	4	12	12.7	63
SDK002-TCTST2-04015	4	15	12.7	66
SDK002-TCTST2-04018	4	18	12.7	69
SDK002-TCTST2-04022	4	22	12.7	73
SDK002-TCTST2-04023	4	23	12.7	74
SDK002-TCTST2-04024	4	24	12.7	75
SDK002-TCTST2-04026	4	26	12.7	77
SDK002-TCTST2-04028	4	28	12.7	79
SDK002-TCTST2-04030	4	30	12.7	81
SDK002-TCTST2-04512	4.5	12	12.7	63
SDK002-TCTST2-05013	5	13	12.7	64
SDK002-TCTST2-05015	5	15	12.7	66
SDK002-TCTST2-05020	5	20	12.7	71
SDK002-TCTST2-05022	5	22	12.7	73
SDK002-TCTST2-05025	5	25	12.7	76
SDK002-TCTST2-05026	5	26	12.7	77
SDK002-TCTST2-05028	5	28	12.7	79
SDK002-TCTST2-05030	5	30	12.7	81
SDK002-TCTST2-05033	5	33	12.7	84

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK002-TCTST2-05035	5	35	12.7	86
SDK002-TCTST2-05040	5	40	12.7	91
SDK002-TCTST2-06015	6	15	12.7	66
SDK002-TCTST2-06020	6	20	12.7	71
SDK002-TCTST2-06022	6	22	12.7	73
SDK002-TCTST2-06026	6	26	12.7	77
SDK002-TCTST2-06028	6	28	12.7	79
SDK002-TCTST2-06030	6	30	12.7	81
SDK002-TCTST2-06032	6	32	12.7	83
SDK002-TCTST2-06035	6	35	12.7	86
SDK002-TCTST2-06038	6	38	12.7	89
SDK002-TCTST2-06043	6	43	12.7	94
SDK002-TCTST2-06045	6	45	12.7	96
SDK002-TCTST2-06050	6	50	12.7	101
SDK002-TCTST2-07020	7	20	12.7	71
SDK002-TCTST2-07022	7	22	12.7	73
SDK002-TCTST2-07025	7	25	12.7	76
SDK002-TCTST2-07028	7	28	12.7	79
SDK002-TCTST2-07030	7	30	12.7	81
SDK002-TCTST2-08020	8	20	12.7	71
SDK002-TCTST2-08022	8	22	12.7	73
SDK002-TCTST2-08026	8	26	12.7	77
SDK002-TCTST2-08028	8	28	12.7	79
SDK002-TCTST2-08030	8	30	12.7	81
SDK002-TCTST2-08032	8	32	12.7	87
SDK002-TCTST2-08035	8	35	12.7	90
SDK002-TCTST2-08040	8	40	12.7	95
SDK002-TCTST2-08045	8	45	12.7	100
SDK002-TCTST2-08050	8	50	12.7	105
SDK002-TCTST2-09020	9	20	12.7	75
SDK002-TCTST2-09030	9	30	12.7	85
SDK002-TCTST2-10020	10	20	12.7	75
SDK002-TCTST2-10025	10	25	12.7	80
SDK002-TCTST2-10030	10	30	12.7	85
SDK002-TCTST2-10035	10	35	12.7	90
SDK002-TCTST2-10040	10	40	12.7	95
SDK002-TCTST2-10050	10	50	12.7	105

SDK002-TCTST3

TCT三刃直刀

Three Flutes Straight TCT Router Bits For Wood



适用于：实木，密度板等。

参数：转速20000转/分钟，进给速度可达12米-18米/分钟。

Applicable: Solid wood, MDF and so on

Parameters: spindle speed 20000 rpm, the feed rate of up to 12-18 M / min


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK002-TCTST3-06020	6	20	12.7	71
SDK002-TCTST3-06022	6	22	12.7	73
SDK002-TCTST3-06026	6	26	12.7	77
SDK002-TCTST3-06028	6	28	12.7	79
SDK002-TCTST3-06030	6	30	12.7	81
SDK002-TCTST3-08020	8	20	12.7	71
SDK002-TCTST3-08022	8	22	12.7	73
SDK002-TCTST3-08026	8	26	12.7	77
SDK002-TCTST3-08028	8	28	12.7	79
SDK002-TCTST3-08030	8	30	12.7	81
SDK002-TCTST3-08032	8	32	12.7	87

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK002-TCTST3-08035	8	35	12.7	90
SDK002-TCTST3-08037	8	37	12.7	92
SDK002-TCTST3-08040	8	40	12.7	95
SDK002-TCTST3-10020	10	20	12.7	75
SDK002-TCTST3-10022	10	22	12.7	77
SDK002-TCTST3-10026	10	26	12.7	81
SDK002-TCTST3-10030	10	30	12.7	85
SDK002-TCTST3-10032	10	32	12.7	87
SDK002-TCTST3-10035	10	35	12.7	90
SDK002-TCTST3-10040	10	40	12.7	95
SDK002-TCTST3-10050	10	50	12.7	105

SDK001-TCTST3

TCT三刃开料刀

Three Flutes Straight Chip-Breaker TCT Router Bits For Wood



适用于：刨花板，多层板等开料。

参数：转速20000转/分钟，进给速度可达12米-18米/分钟。

Applicable: Particle board, Multilayer board and so on

Parameters: spindle speed 20000 rpm, the feed rate of up to 12-18 M / min


型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK001-TCTST3-06020	6	20	12.7	71
SDK001-TCTST3-06022	6	22	12.7	73
SDK001-TCTST3-06026	6	26	12.7	77
SDK001-TCTST3-06028	6	28	12.7	79
SDK001-TCTST3-06030	6	30	12.7	81
SDK001-TCTST3-08020	8	20	12.7	71
SDK001-TCTST3-08022	8	22	12.7	73
SDK001-TCTST3-08026	8	26	12.7	77
SDK001-TCTST3-08028	8	28	12.7	79
SDK001-TCTST3-08030	8	30	12.7	81
SDK001-TCTST3-08032	8	32	12.7	87

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK001-TCTST3-08035	8	35	12.7	90
SDK001-TCTST3-08037	8	37	12.7	92
SDK001-TCTST3-08040	8	40	12.7	95
SDK001-TCTST3-10020	10	20	12.7	75
SDK001-TCTST3-10022	10	22	12.7	77
SDK001-TCTST3-10026	10	26	12.7	81
SDK001-TCTST3-10030	10	30	12.7	85
SDK001-TCTST3-10032	10	32	12.7	87
SDK001-TCTST3-10035	10	35	12.7	90
SDK001-TCTST3-10040	10	40	12.7	95
SDK001-TCTST3-10050	10	50	12.7	105

SDK002-TCTCO2

TCT双刃复合铣刀

Two Flutes Compression TCT Router Bits For Wood



适用于：实木，密度板等。

参数：转速20000转/分钟，进给速度可达12米/分钟。

Applicable: Solid wood, MDF and so on

Parameters: spindle speed 20000 rpm, the feed rate of up to 12M / min

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK002-TCTCO2-06020	6	20	12.7	76
SDK002-TCTCO2-06022	6	22	12.7	78
SDK002-TCTCO2-06026	6	26	12.7	82
SDK002-TCTCO2-06028	6	28	12.7	84
SDK002-TCTCO2-06030	6	30	12.7	86
SDK002-TCTCO2-08020	8	20	12.7	78

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK002-TCTCO2-08022	8	22	12.7	80
SDK002-TCTCO2-08026	8	26	12.7	84
SDK002-TCTCO2-08028	8	28	12.7	90
SDK002-TCTCO2-08030	8	30	12.7	92
SDK002-TCTCO2-08032	8	32	12.7	94
SDK002-TCTCO2-08035	8	35	12.7	97

SDK001-TCTCO2

TCT双刃复合开料铣刀

Two Flutes Compression Chip-Breaker TCT Router Bits For Wood



适用于：刨花板，多层板等开料。

参数：转速20000转/分钟，进给速度可达12米/分钟。


Applicable: Particle board, Multilayer board and so on

Parameters: spindle speed 20000 rpm, the feed rate of up to 12M / min

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK001-TCTCO2-06020	6	20	12.7	76
SDK001-TCTCO2-06022	6	22	12.7	78
SDK001-TCTCO2-06026	6	26	12.7	82
SDK001-TCTCO2-06028	6	28	12.7	84
SDK001-TCTCO2-06030	6	30	12.7	86
SDK001-TCTCO2-08020	8	20	12.7	78

型号	刃径	刃长	柄径	全长
Item No.	d	l	D	L
SDK001-TCTCO2-08022	8	22	12.7	80
SDK001-TCTCO2-08026	8	26	12.7	84
SDK001-TCTCO2-08028	8	28	12.7	90
SDK001-TCTCO2-08030	8	30	12.7	92
SDK001-TCTCO2-08032	8	32	12.7	94
SDK001-TCTCO2-08035	8	35	12.7	97

SDK-ER


筒夹
Collet

适用于：夹持钻头，螺丝攻，铣刀，铰刀等工具

Applicable: drills, taps, end mill, reamers and so on

型号 Item No.	最大外径 Outer dia	内孔 Inner dia
ER11-3	12	3
ER11-3.175	12	3.175
ER11-4	12	4
ER11-6	12	6
ER11-6.35	12	6.35
ER16-3	17	3
ER16-3.175	17	3.175
ER16-4	17	4
ER16-6	17	6
ER16-6.35	17	6.35
ER16-8	17	8
ER16-10	17	10
ER20-3	21	3
ER20-3.175	21	3.175
ER20-4	21	4
ER20-6	21	6
ER20-12	21	12
ER25-3.175	26	3.175
ER25-4	26	4
ER25-6	26	6
ER25-6.35	26	6.35
ER25-8	26	8
ER25-10	26	10
ER25-12	26	12
ER25-12.7	26	12.7

型号 Item No.	最大外径 Outer dia	内孔 Inner dia
ER25-14	26	14
ER25-16	26	16
ER32-3	33	3
ER32-3.175	33	3.175
ER32-4	33	4
ER32-5	33	5
ER32-6	33	6
ER32-6.35	33	6.35
ER32-8	33	8
ER32-10	33	10
ER32-12.7	33	12.7
ER32-14	33	14
ER32-16	33	16
ER32-18	33	18
ER32-20	33	20
ER40-6	41	6
ER40-6.35	41	6.35
ER40-8	41	8
ER40-10	41	10
ER40-12	41	12
ER40-14	41	14
ER40-16	41	16
ER40-18	41	18
ER40-20	41	20



Non-standard tools



CARBIDE END MILLS

ENTERPRISE INTRODUCTION

Looking forward to the future achievement dream



Mobile Website

SDK

SDK Tool (China) Co., Limited

+86-13914331245

+86-13914331245

www.sdk-tool.com

sales@sdk-tool.com

No.68, LiJiang Road,Xinbei District,Changzhou,Jiangsu,China.